APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/006,200	12/04/2001	William Charles Aegerter	33314/1:3	8843

7590   01/11/2006

Micah D. Stolowitz
Stoel Rives LLP
Suite 2600
900 SW Fifth
Portland, OR 97204

EXAMINER
PATEL, MANGLESH M

ART UNIT	PAPER NUMBER
2178	

DATE MAILED: 01/11/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Office Action Summary	Application No.	Applicant(s)
		10/006,200	AEGERTER, WILLIAM CHARLES
		Examiner	**Art Unit**
		Manglesh M. Patel	2178

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE _3_ MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) ☒ Responsive to communication(s) filed on _04 December 2001_.
2a) ☐ This action is **FINAL**.   2b) ☒ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) ☒ Claim(s) _1-40_ is/are pending in the application.
    4a) Of the above claim(s) _20-40_ is/are withdrawn from consideration.
5) ☐ Claim(s) _____ is/are allowed.
6) ☒ Claim(s) _1-19_ is/are rejected.
7) ☐ Claim(s) _____ is/are objected to.
8) ☒ Claim(s) _20-40_ are subject to restriction and/or election requirement.

Application Papers

9) ☐ The specification is objected to by the Examiner.
10) ☒ The drawing(s) filed on _04 December 2001_ is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
    a) ☐ All   b) ☐ Some *   c) ☐ None of:
      1. ☐ Certified copies of the priority documents have been received.
      2. ☐ Certified copies of the priority documents have been received in Application No. _____.
      3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☒ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
    Paper No(s)/Mail Date _10/24/2002_.
4) ☐ Interview Summary (PTO-413)
    Paper No(s)/Mail Date. _____ .
5) ☐ Notice of Informal Patent Application (PTO-152)
6) ☐ Other: _____.

DETAILED ACTION

1.   This action is responsive to communications: IDS filed on Sep 23, 2002 & Oct 25,

2002 to the application filed on December 4, 2001.

2.   Claims 1-40 are pending. Claims 1-19 have been elected for examination. Claims

20-40 are withdrawn due to restriction requirement. Claims 1 and 10 are independent

claims.

Drawings

3.   The examiner has accepted the Drawings filed on December 4, 2001.

Priority

4.   Acknowledgment is made of applicant's claim for priority to U.S. Provisional

Application 60/251285 filed on December 4, 2000.

Claim Rejections - 35 USC § 101

5.   35 U.S.C. 101 reads as follows:

> Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

6.   Claims 10-19 are rejected under 35 U.S.C. 101 because the claimed invention is

directed to non-statutory subject matter. The claims describe a servo definition

language that is used to define a program, since the program is not implemented on a

computer-readable medium and the claimed limitations represent non-functional

descriptive material. As such, the claim is not limited to statutory subject matter and is

therefore non-statutory.

Claim Rejections - 35 USC § 103

7.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set
> forth in section 102 of this title, if the differences between the subject matter sought to be patented and
> the prior art are such that the subject matter as a whole would have been obvious at the time the
> invention was made to a person having ordinary skill in the art to which said subject matter pertains.
> Patentability shall not be negatived by the manner in which the invention was made.

8.   Claims 1-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Gupta (U.S. 6,513,059, filed August 24, 2000) in view of Sundaresan (U.S. 6,487,566,

filed Oct 5, 1998).

Regarding Independent claim 1, Gupta teaches a computer-implemented,

incremental process for executing an application servo in a client device based

on a specified set of matching criteria, the process comprising the steps of:

Selecting a servo to provide services (column 2, lines 31-52, wherein the servo is

described by the agent since it describes a software component,

application/domain components and system service); Identifying a data source

associated with the selected servo (column 2, lines 31-52, wherein a data source

is associated with the agent, the data source includes application/domain

components); Initializing an execution context tree structure by creating a root

node of the context tree associated with an initial instruction of the servo (column

2, lines 60-67 & column 3, lines 1-35, see fig 2 and column 6, lines 4-45, wherein

the Awit space which is a collaborative environment for the agents is described

by a context tree structure. Awit Space provides for the replication of context

node(s) to support redundancy and scalability needs, resulting in a distributed

system that supports a fluid configuration of intelligent agents or servos and

context nodes where various operations are performed. Therefore the servos are

described by the context tree structure inherently including an initialization of a

root node); Executing an instruction of the servo associated with the chosen

context (column 4, lines 25-35, wherein agents communicate via context nodes,

therefore instructions of the agent are executed based on the chosen context

node); Responsive to said executing step, creating zero or more new child

contexts in the context tree, each new child context including content defining a

current internal evaluation state of the process (column 11, lines 39-54, wherein

zero or more child contexts are created and they including a node controller

thereby including content for defining an internal evaluation state of the process);

Although Gupta teaches the use of context nodes for representing the agents

that are selected based on rules he fails to teach the selection of a node based

on a matching criteria. Sundaresan teaches choosing a context of the context

tree that satisfies the matching criteria (See summary & column 5, lines 40-50,

wherein rules described in XML use pattern matching and upon matching

specified functions are performed. The entire node structure is represented by

xml and the rules include a matching criteria used to perform different functions

including transformations); And repeating said choosing, executing and creating

steps over subsequent instructions of the servo until no context satisfies the

matching criteria (See figure 3, wherein the matching step is repeated until no

matches occur for the nodes resulting in the writing of the xml output). At the time

of the invention it would have been obvious to a person of ordinary skill in the art

to include a pattern matching criteria in the rule definitions for the context nodes.

The motivation for doing so would have been to allow the matching of content

from a service provider based on the users interest. Therefore it would have

been obvious to combine the teachings of Sundaresan with Gupta for the

benefits of allowing the selection of nodes associated with a matching criteria

thereby allowing the retrieval of content from the agent based on user interest.

Regarding Dependent claim 2, Gupta teaches *wherein the content of the child*

context includes: a pointer to an element within the selected servo (column 4,

lines 25-35, wherein agents communicate via context nodes, therefore

instructions of the agent are executed based on the chosen context node

inherently including a pointer to the servo or agent); *And a pointer that identifies*

a current data context by pointing into a source tree (column 12, lines 38-55,

wherein a current node is identified upon request thereby inherently including a

pointer to identify the currently selected node).

Regarding Dependent claim 3, Gupta teaches wherein the content of the child context includes: a reference to a parent context (column 6, lines 10-20, wherein the node framework maintains the relationship between the nodes, if the child context node did not keep track of the parent node then their would be no tree structure, therefore the relationship between the nodes are maintained by the definition of a tree structure); An ordered, potentially sparse, list of pointers to zero or more child contexts (column 11, lines 39-54, A tree must have pointers to a child node to be able to access the node context and that depends on the number of child nodes either zero or more. In addition to be able to call the node a child node it would inherently include a pointer to define the tree); and definitions for any symbols introduced by the context (column 5, lines 6-30, wherein the node context are described by the definitions).

Regarding Dependent claim 4, Gupta discloses responsive to said executing step, creating zero or more child spacers in the context tree representing unmaterialized child contexts (column 7 lines 55-67 & column 8, lines 1-11, wherein the policies are associated with a node context, thereby allowing the implementation of spacers to avoid certain node contexts by following the defined node policies); and wherein said choosing a context includes choosing either a context or a spacer (column 7 lines 55-67 & column 8, lines 1-11, wherein the selection of a context node also includes the associated policy of that node, thereby selection to apply changes to a node includes the direct selection of a

node or by changing a policy associated with a context node).

Regarding Dependent claim 5, Gupta discloses wherein the context tree is

implemented using a relative b-tree structure, and each spacer is reflected in an

interior node entry in the relative b-tree structure to facilitate searching

unmaterialized contexts (column 7 lines 55-67 & column 8, lines 1-11, Although

Gupta doesn't specifically mention the type of tree structure used, he does

disclose the use of various tree structures that would inherently include a b-tree

structure since it defines a hierarchy type structure to maintain the context trees.

The spacer is defined by the policy associated to the node context thereby

allowing search operations for manipulating the tree structure using the node run-

time framework).

Regarding Dependent claim 6, Gupta discloses wherein the b-tree node entry

includes a field to track a linear value associated with a graphical display output

object (column 6, lines 10-60, wherein the node framework is used to maintain

the tree structure thereby including a linear value associated with a graphical

display output based on the type of tree structure used).

Regarding Dependent claim 7, Gupta discloses wherein the process creates

and maintains both the context tree and a geometry tree, the geometry tree

representing the spatial structure of a predetermined graphical user interface

(column 3, lines 15-35, wherein the Awit implements various interface functions. The node framework maintains the relationship of the context tree including a geometry tree that defines a GUI).

Regarding Dependent claim 8, Gupta discloses wherein the servo is defined using a servo definition language that references XML schema definitions as its core vocabulary (column 5, lines 53-61 & column 10, lines 13-23, wherein the servo or agent is described through the Awit communication in multiple transports including XML, thereby including XML schema definitions for defining the rules associated with the context tree).

Regarding Dependent claim 9, Gupta teaches a system for exchanging information over a network and describing the process using a context tree structure (See Abstract). Although Gupta describes that the agent or servos applications include descriptions in XML he fails to teach the use of data schema and transformation rules with the language. Sundaresan teaches wherein the servo definition language comprises: application data schema (column 7, wherein a DTD is used to describe the schema); transformation rules (See Abstract); and opportunity rules (See summary). At the time of the invention it would have been obvious to a person of ordinary skill in the art to include a pattern matching criteria in the rule definitions for the context nodes. The motivation for doing so would have been to allow the matching of content from a

service provider based on the users interest. Therefore it would have been

obvious to combine the teachings of Sundaresan with Gupta for the benefits of

allowing the selection of nodes associated with a matching criteria thereby

allowing the retrieval of content from the agent based on user interest.

Regarding Independent claim 10, Gupta teaches a servo definition language

for defining a distributed application that supports disconnected operation, the

language comprising the following types of rules: Gupta teaches a system for

exchanging information over a network and describing the process using a

context tree structure (See Abstract). And interface object specifications (column

3, lines 15-35, wherein the Awit implements various interface functions, thereby

including interface object specifications). Although Gupta describes that the

agent or servos applications include descriptions in XML including rules he fails

to teach the use of data schema and transformation rules with the language.

Sundaresan teaches application data schema (column 7, wherein a DTD is used

to describe the schema); Transformation rules (See Abstract); Transaction

handling rules (See Abstract); At the time of the invention it would have been

obvious to a person of ordinary skill in the art to include a pattern matching

criteria in the rule definitions for the context nodes. The motivation for doing so

would have been to allow the matching of content from a service provider based

on the users interest. Therefore it would have been obvious to combine the

teachings of Sundaresan with Gupta for the benefits of allowing the selection of

nodes associated with a matching criteria thereby allowing the retrieval of content

from the agent based on user interest.

Regarding Dependent claim 11, Gupta discloses a servo definition language

comprising access rules (column 2, lines 30-60, wherein the Awit space that

provides the collaboration environment for the agents or servos include the

support for secure distributed application model that define the access rules).

Regarding Dependent claim 12, Gupta teaches a servo definition language

further comprising opportunity rules to realize automatic extension or integration

of servos through opportunity-based linking of an interface component

representing an instance of a schema fragment to a template (column 2, lines 30-

60, wherein the Awit space that provides the collaboration environment for the

agents or servos include the support for secure distributed application model that

define the access rules for automatic extension).

Regarding Dependent claim 13, Gupta teaches a system for exchanging

information over a network and describing the process using a context tree

structure (See Abstract). And interface object specifications (column 3, lines 15-

35, wherein the Awit implements various interface functions, thereby including

interface object specifications). Although Gupta describes that the agent or

servos applications include descriptions in XML including rules he fails to teach

the use of data schema and transformation rules with the language. Sundaresan
teaches wherein the template specifies at least one of a transformation rule (See
Abstract), a transaction handling rule and an interface object specification.
Therefore it would have been obvious to combine the teachings of Sundaresan
with Gupta for the benefits of allowing the selection of nodes associated with a
matching criteria thereby allowing the retrieval of content from the agent based
on user interest.

Regarding Dependent claim 14, Gupta teaches an abstract interface object
definition (column 3, lines 15-35, wherein the Awit implements various interface
functions, thereby including interface object definitions).

Regarding Dependent claim 15, Gupta teaches a system for exchanging
information over a network and describing the process using a context tree
structure (See Abstract). Although Gupta describes that the agent or servos
applications include descriptions in XML he fails to teach the use of data schema
and transformation rules with the language. Sundaresan teaches a servo
definition language wherein the application data schema comprises an XML-
based schema (column 7, wherein a DTD is used to describe the schema in
XML). At the time of the invention it would have been obvious to a person of
ordinary skill in the art to include a pattern matching criteria in the rule definitions
for the context nodes. The motivation for doing so would have been to allow the

matching of content from a service provider based on the users interest.

Therefore it would have been obvious to combine the teachings of Sundaresan

with Gupta for the benefits of allowing the selection of nodes associated with a

matching criteria thereby allowing the retrieval of content from the agent based

on user interest.

Regarding Dependent claim 16, Gupta discloses a servo definition language

defined using XML schema definitions XSD as the core vocabulary. (column 5,

lines 53-61 & column 10, lines 13-23, wherein the servo or agent is described

through the Awit communication in multiple transports including XML, thereby

including XML schema definitions for defining the rules associated with the

context tree).

Regarding Dependent claim 17, Gupta teaches a system for exchanging

information over a network and describing the process using a context tree

structure (See Abstract). And interface object specifications (column 3, lines 15-

35, wherein the Awit implements various interface functions, thereby including

interface object specifications). Although Gupta describes that the agent or

servos applications include descriptions in XML including rules he fails to teach

the use of data schema and transformation rules with the language. Sundaresan

teaches a servo definition language including a view element for selecting a

group of the said transformation rules to define at least a part of an output

interface (See Abstract). At the time of the invention it would have been obvious

to a person of ordinary skill in the art to include a pattern matching criteria in the

rule definitions for the context nodes. The motivation for doing so would have

been to allow the matching of content from a service provider based on the users

interest. Therefore it would have been obvious to combine the teachings of

Sundaresan with Gupta for the benefits of allowing the selection of nodes

associated with a matching criteria thereby allowing the retrieval of content from

the agent based on user interest.

Regarding Dependent claim 18, Gupta teaches a servo definition language

including a storage declaration element that enables an author to reserve and

name persistent storage for use by the servo and any other servos authorized to

access the corresponding data (column 2, lines 30-67, wherein the servo

language is described using XML and the Awit space is used with the servo or

agent to provide a collaborative environment that includes access by client

authorization including storage declarations provided by defining the context

nodes associated with the agent).

Regarding Dependent claim 19, Gupta teaches the a servo definition language

wherein the storage declaration element includes a locally scoped name for a

corresponding storage tree and identifies a schema to which the storage tree

must conform (column 2, lines 30-67 & see Abstract, wherein the servo language

is described using XML and the Awit space is used with the servo or agent to provide a collaborative environment that includes access by client authorization including storage declarations provided by defining the context nodes associated with the agent. The storage declarations include the identification of a schema or rule associated with the context node).

It is noted that any citation [[s]] to specific, pages, columns, lines, or figures in the prior art references and any interpretation of the references should not be considered to be limiting in any way. A reference is relevant for all it contains and may be relied upon for all that it would have reasonably suggested to one having ordinary skill in the art. [[See, MPEP 2123]]

Conclusion

Other Prior Art Cited

9.   The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- Moerbeek (U.S. 6,418,445) discloses "System And Method For Distributed Data Collection And Storage"

- Li et al. (U.S. 6,757,869) discloses "Method And Apparatus For Providing Access To A Legacy Application On A Distributed Data Processing System"

- Lau et al. (U.S. 6,832,380) discloses "Client-Server Application Partitioning With Metering Technique For Distributed Computing"

- Garg et al. (U.S. 6,865,591) discloses "Apparatus And Method For Building Distributed Fault-Tolerant/High-Availability Computer Applications"

- Belfiore et al. (U.S. Pub 2002/0059425) discloses "Distributed Computing Services Platform"

- Couturier et al. (U.S. 6,546,432) discloses "Process For Sending A Notification In A Data Processing Network With Distributed Applications"

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Manglesh M. Patel whose telephone number is (571) 272-5937. The examiner can normally be reached on M,F 8:30-6:00 T,TH 8:30-3:00 Wed 8:30-7:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen S. Hong can be reached on (571)272-4124. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Manglesh M. Patel

Patent Examiner

January 6, 2006

STEPHEN HONG
SUPERVISORY PATENT EXAMINER